



4" elevations™

ELEGANT PROPORTIONS; UNCOMMON VERSATILITY



gotham®

Elevations™ pendant downlighting by Gotham® has become a favorite among architects and lighting design professionals. It's no wonder. The look is minimal, understated; the lighting performance extraordinary. You can dress it up or down. Choose quiet, softly decorative, or playfully edgy aperture treatments. Vary the light sources and mountings to satisfy needs and preferences. Expanding on the Elevations theme, Gotham now offers complementary 4-inch luminaires—remarkably versatile in their own right—giving you more ways than ever to achieve the look and lighting effect you seek.



ACCENT OR TASK: 4-INCH ELEVATIONS™ ANSWERS.

Use 4-inch Elevations for accent lighting, setting the mood with luminous visual cues while highlighting interior elements and features. Elevations' understated form never upstages; a wide choice of decorative elements and effects lets you to be as subtle or dramatic as you wish.

4-inch Elevations also delivers effective task illumination where needed. You'll appreciate the extraordinary versatility (reinforced cord-, direct ceiling- or wall-mount) to accommodate varying application conditions and task orientations.

The broad Elevations family of pendants—with its many housing sizes, aperture treatments, light sources, lumen packages and distributions—lets you satisfy most ambient, accent and task lighting needs while maintaining a strong sense of design continuity. Elevations pendants complement Gotham recessed downlight apertures as well, providing visual harmony among all luminaires, regardless of ceiling condition.



4-inch Elevations (left) is scaled for lower ceiling applications. 8-inch Elevations offers two housing sizes, one for 10' – 14' ceilings and a taller version for 14' and higher ceilings.

EXPRESS YOURSELF ACCORDINGLY.

However you use 4-inch Elevations pendants, feel free to express your creativity. The luminaire's simple, flowing lines harmonize beautifully with contemporary architecture, and can be embellished with discreet decorative touches, forming an aesthetic statement appropriate to any interior scheme.


Add a decorative soft ring, vertical stacked rings, or gear to stylize Elevations' distinctive façade. Choose glass shades in Blue, Amber or White to add a soft, luminous glow of color. 4-inch Elevations shade colors coordinate well with other Gotham decorative lighting elements such as Candéo® and Ice™, both of which may be incorporated into larger 8-inch Elevations pendants.

Quiet, softly decorative, or edgy and playful...occupants will experience the benefits of high quality downlighting no matter how you configure Elevations.


Ask your lighting representative for more information on the expanding Elevations family of pendant luminaires, and how they complement the full line of Gotham downlighting. Or visit our website at www.gothamlighting.com.

4-inch Elevations™ offers a unique blend of design elegance and functional versatility. It expands the capabilities of the Elevations family and works visually and optically within the broad offering of Gotham high performance lighting products. Choose reinforced cord-, direct ceiling- or wall-mount options to accommodate varying ceiling heights and intended applications in a space.

Elevations' understated contour encases a patented Bounding Ray™ reflector, precisely designed to optimize compact fluorescent, HID or incandescent sources.



Wall-mounted 4-inch Elevations luminaires offer design continuity with the entire Elevations family of pendants.



A recessed housing allows ballasts and emergency battery packs to be placed above the ceiling.

A variety of distinct styles allows you to make an appropriate design statement or blend quietly with other architectural elements. 4-inch Elevations is finished in Matte Black or Satin Silver, with available glowing glass shades in Blue, Amber or White.


Amber glass shades on these 4-inch Elevations pendants add an expressive glow without compromising the quality of illumination below.



4-inch Elevations pendants, with Bounding Ray™ reflectors, add visual interest and provide effective task lighting in this reception environment.



Gotham's elegantly proportioned 4-inch Elevations pendants offer a choice of decorative options including glowing glass shades in Blue, Amber and White, and can be configured to accommodate accent and task lighting needs with a wide selection of mounting methods and light sources.



Note: All 4-inch Elevations luminaires can be reinforced cord-, direct ceiling- or wall-mounted.

ORDERING INFORMATION

CFL: BOUNDING RAY™ OPTICS and GLASS SHADES

SERIES	WATTAGE/LAMP	REFLECTOR/SHADE COLOR		FINISH	VOLT.	BALLAST	HOUSING						
PDPF	18TRT	4AR	Clear	4WG ¹	White glass	(blank)	Semi-specular	MVOLT ²	(blank)	Electronic ballast	SB	Short Matte Black	
	26TRT	4BR ¹	Black	4AG ¹	Amber glass	LD	Matte-diffuse	120	DMHL ³	Lutron Compact SE™	SS	Short Satin Silver	
	32TRT	4PR	Pewter	4BG ¹	Blue glass			277		electronic dimming ballast. (Avail. 120V or 277V only.)			
		4UBR	Umber					347					
		4WTR	Wheat										
		4WR ¹	White painted							ADEZ ³	Advance Mark 10™		
		4MB ¹	Black baffle								electronic dimming ballast. (Avail. 120V or 277V only.)		
	4WB ¹	White baffle											

DECORATIVE ELEMENT ⁴	MOUNTING METHOD ⁴	OPTIONS	
NR No ring	RC120 Reinforced cord	WLP	With 35°K lamp (shipped separately)
S Soft ring	SM Surface mount	ELR	Emergency battery pack only. For use with GRS option only.
C Stacked rings	WM ⁵ Wall mount	GRS	Recessed mounting frame (above ceiling access required).
G Gear			

- NOTES**
- 1 Not available with finishes.
 - 2 Multi-volt electronic ballast capable of operating on any line voltage from 120V through 277V, 50 or 60Hz.
 - 3 Available with GRS option only.
 - 4 Refer to Page TECH-180 for decorative and mounting methods details.
 - 5 Not available with GRS or ELR option.

HID: BOUNDING RAY OPTICS and GLASS SHADES

SERIES	WATTAGE/LAMP	REFLECTOR/SHADE COLOR		FINISH	VOLT.	BALLAST	HOUSING					
PDPH	Metal Halide (ED-17) 70M	4AR	Clear	4WG ²	White glass	(blank)	Semi-specular	120	(blank)	Electronic ballast	SB	Short Matte Black
	Color-corrected Metal Halide (ED-17) 70MHC	4BR ¹	Black	4AG ²	Amber glass	LD	Matte-diffuse	277 ⁴			SS	Short Satin Silver
		4PR	Pewter	4BG ²	Blue glass			347 ^{4,5}	EMB	Electromagnetic ballast		
		4UBR	Umber									
		4WTR	Wheat									
		4WR ²	White painted									
		4MB ^{2,3}	Black baffle									
	4WB ^{2,3}	White baffle										
	Metal Halide (PAR Lamp) ¹ P2039MHC 39W PAR20 P3039MHC 39W PAR30 P3070MHC 70W PAR30											

DECORATIVE ELEMENT ⁶	MOUNTING METHOD ⁶	OPTIONS	
NR No ring	RC120 Reinforced cord	GRS	Recessed mounting frame (above ceiling access required).
S Soft ring	SM Surface mount	LPFL	Flood Lamp (shipped separately)
C Stacked rings	WM ⁷ Wall mount	WLP	Lamp (shipped separately)
G Gear		LPSP	Spot Lamp (shipped separately)

- NOTES**
- 1 Not available with glass shade.
 - 2 Not available with finishes.
 - 3 Available with ED-17 lamp only.
 - 4 Available with GRS option only.
 - 5 Available with 70W electromagnetic ballast only.
 - 6 Refer to Page TECH-180 for decorative and mounting methods details.
 - 7 120V only, not available with GRS option.

INCANDESCENT: BOUNDING RAY OPTICS and GLASS SHADES

SERIES	LAMP DESIGNATION	REFLECTOR/SHADE COLOR		FINISH	HOUSING	DECORATIVE ELEMENT ⁵					
PDPA	(blank) A Lamp ¹	4AR	Clear	4WG ³	White glass	(blank)	Semi-specular	SB	Short Matte Black	NR	No ring
	PAR20 (50W Max) ²	4BR ³	Black	4AG ³	Amber glass	LD	Matte-diffuse	SS	Short Satin Silver	S	Soft ring
	PAR30 (75W Max) ²	4PR	Pewter	4BG ³	Blue glass	LS	Specular			C	Stacked rings
		4UBR	Umber							G	Gear
		4WTR	Wheat								
		4WR ³	White painted								
		4MB ^{3,4}	Black baffle								
	4WB ^{3,4}	White baffle									

MOUNTING METHOD ⁵	OPTIONS	
RC120 Reinforced cord	SDT ⁷	Stepdown transformer (277V to 120V)
SM Surface mount		
WM Wall mount ⁶	SDT347 ⁷	Stepdown transformer (347V to 120V; 75W max.)
	GRS	Recessed mounting frame (Above ceiling access required)

- NOTES**
- 1 Maximum wattage: 100W.
 - 2 Not available with glass shade.
 - 3 Not available with finishes.
 - 4 Available with (blank) A lamp only.
 - 5 Refer to Page TECH-180 for decorative and mounting methods details.
 - 6 Not available with SDT, SDT347 or GRS option.
 - 7 For use with GRS mounting option only.



GOTHAM ARCHITECTURAL DOWNLIGHTING
 A DIVISION OF ACUITY LIGHTING GROUP, INC.
 1400 Lester Rd Conyers, Georgia 30012
 P 800 315 4982 F 770 860 3129
 www.gothamlighting.com
 An Acuity Brands Company