

DOWNLIGHTS & WALLWASH
 WITH TUNABLE WHITE

SCIENCE POWERS  DESIGN



EVO Distributions

 **Mainstream Dynamic Tunable White**

Mainstream Dynamic brings exciting features once reserved for niche applications into everyday lighting systems. The Tunable White feature allows for the inclusion of white light into various scenes – matching the optimal light for different activities. When Tunable White is deployed on our nLight[®] controls network, we call it nTune. This allows nLight to control lighting color temperature on the same network that manages motion detection, daylight harvesting and dimming. Customers can build a system of controls and Gotham[®] EVO[®] luminaires that work seamlessly together.



EVO[®] NTUNE

RHYTHM RANGE
2700K-6500K
Follows the cycle of daylight



Tunable White



PRODUCTIVITY RANGE
3000K-5000K
Re-energize and inspire,
ideal for collaboration



Tunable White



WARMDIM[®] RANGE
1800K-3000K
Relaxing, warm, and
comfortable when dimmed




WarmDim[®]




4" AND 6" EVO® DOWNLIGHTS & WALLWASH

- **DELIVERED LUMENS** — 4", 500-3000lm / 6" 500-5000LM
- **COLOR TEMPERATURES** — Rhythm 2700K - 6500K, Productivity (3000K - 5000K) WarmDim® (1800K - 3000K)
- **DISTRIBUTION** — 4": Medium, Medium Wide, Wide
6": Very Narrow, Narrow, Medium, Medium Wide, Wide
- **CONTROL PERFORMANCE** — nLight enabled options
- **CRI** — 85 typical, 90+ CRI option available
- **APERTURES** — Round & Square
- **SPECIAL APPLICATIONS** — Patient Room & Shower



EVO4 TUWH



EVO6SQ WDIM

mounting methods



New Construction




Chicago Plenum

flangeless options



Round Mud Ring



Square Mud Ring

aesthetic trim options in specular, semi-specular & diffuse finishes*



Clear



Pewter



Gold



Wheat



White



Black

*finishes not applicable in white or black

Gotham Family

The extensive portfolio of Gotham products provides consistent, tailored distributions across downlights, wallwash and cylinders. Additionally, special application products including decorative, shower and vandal resistant trim options. Special healthcare application versions are also available which include surgical and MRI downlights. The EVO family is perfect for any general illumination applications.



Downlight



Lensed Wallwash



MRI



Cylinder

PRE-PROGRAMMED CUSTOM ENGRAVED WALLPODS*

Any nLight® wallpod will control nTune



nPODM
2P DX CCT



nPODM
45 DX EDUTW



nPODM
4S EDUTW



nPODM
4S

ULTIMATE CONTROL WITH FRESCO

- See & set the actual CCT value
- Identifies the CCT range of each luminaire
- Integrate with other devices controlled by 0-10V, DMX, DALI or Phase-Cut



SCIENCE POWERS DESIGN



A+ Certified solutions from Acuity Brands help you quickly and confidently select and implement lighting systems, for indoor or outdoor applications, that are both compatible and consistent.

For lighting applications, A+ means verified consistent performance, visual appearance and system interoperability of all luminaires and controls within the certified solution. For lighting professionals, it means confidence that all parts of the lighting system will work together and meet common Acuity Brands specifications.

Go to www.acuitybrands.com/solutions/a-certified or contact your local Acuity Brands representative for more information.

*Also available without pre-programming and engraving to configure to your customer's optimized settings.