



# Juno SlimForm™ LED Surface Mount Downlights

Sleek in form, when space is slim




# Juno SlimForm™ LED Surface Mount Downlights

The low cost, low maintenance,  
low plenum, low-profile fixture ...  
high in performance and style!



**JSF Series**



**JSFSQ Series**

Juno SlimForm downlights are economical and easy-to-install, surface mounted LED fixtures with an unobtrusive - less than 1" deep - profile that cleanly integrates and complements any décor.

## **Features include:**

- Standard white finish for round or square fixtures in multiple sizes; outputs up to 1800 lumens
- Mounts directly to a standard junction box – see specifications
- Multi-volt 120-277V (0-10V dimmable) or dedicated 120V (forward phase/ELV dimmable) drivers
- Available in Switchable White Color Temperatures (2700K, 3000K, 3500K, 4000K, and 5000K)
- Can be used to comply with Title 24, Part 6, JA8 high efficiency LED light source requirements
- Wet Location listed with standard non-metallic housing

# Juno SlimForm™ LED Surface Mount Downlights

## Flexibility at your fingertips

### Switchable White

The innovative Switchable White feature allows for 5CCT color temperature adjustments. Too warm or too cool? Simply toggle the integrated switch to your desired setting and you are done! Whatever your application, the JSF with Switchable White is sure to give you the feel and flexibility that you need.



### 5CCT Options

Flexibility to switch color temperature to **2700/3000/3500/4000/5000K** CCT during installation to give any space just the right look.

### Quick and Simple Installation

Juno SlimForm Surface Mount Downlights are easily installed over a junction box. These fixtures are ideal for use in areas with limited plenum space or when recessed downlights are impractical.



### Need to maintain a two hour fire-rated assembly?

No problem! Juno SlimForm fixtures provide a very cost effective solution that is suitable for use in a fire rated ceiling when used with a UL 514A listed junction box (provided by others).

# Juno SlimForm™ LED Surface Mount Downlights

## JSF Series - Rounds

The round SlimForm JSF series of fixtures come standard in matte white. Available in four sizes, 5 switchable color temperatures, and outputs up to 1800 lumens, they can be utilized across many applications including bathrooms, closets, hallways/common area, corridors, outdoor canopies and more.




5" Fixture



7" Fixture



11" Fixture



13" Fixture



**JSF Series** - Classic, round surface-mounted fixtures with slim-profiles that are cost-effective and easy to install in a variety of applications.

**Ordering Information** – Example: JSF 5IN 07LM SWW5 90CRI 120 FRPC WH

Series	Size/Lumens	CCT	CRI	Voltage/Driver	Finish	Options
<b>JSF</b> Juno SlimForm™ LED Series, Round	<b>5IN 07LM</b> 5" Diameter, 700 Lumens	<b>SWW5</b> Switchable White (2700K, 3000K, 3500K, 4000K, 5000K)	<b>90</b> 90CRI	<b>120 FRPC</b> 120V (Forward phase/ ELV Dimmable)	<b>WH</b> White	<b>EM</b> <sup>1,2</sup> Integral Battery Backup (Title 20 Compliant)
	<b>7IN 10LM</b> 7" Diameter, 1000 Lumens					
	<b>11IN 13LM</b> 11" Diameter, 1300 Lumens					
	<b>13IN 18LM</b> 13" Diameter, 1800 Lumens					
				<b>MVOLT ZT</b> Universal 120-277V (0-10V Dimmable)		<b>EBX</b> <sup>1</sup> Empty Back Box



<sup>1</sup> Available with 11IN and 13IN models only

<sup>2</sup> Available with MVOLT ZT option only

# Juno SlimForm™ LED Surface Mount Downlights

## JSFSQ Series - Squares

The JSFSQ Series of Juno SlimForm fixtures offer a modern square-shaped design in a standard matte white finish. With sizes up to 14", switchable color temperatures, and trim ring options, these surface mounted fixtures are suitable in a range of different residential and commercial applications.



**JSFSQ Series** - Architecturally-pleasing, square-shaped fixtures with a low-profile design that is virtually maintenance-free.

**Ordering Information** – Example: JSFSQ 12IN 13LM SWW5 90CRI MVOLT ZT WH

Series	Size/Lumens	CCT	CRI	Voltage/Driver	Finish	Options
<b>JSFSQ</b> Juno SlimForm™ LED Series, Square	<b>5IN 07LM</b> 5" Diameter, 700 Lumens	<b>SWW5</b> Switchable White (2700K, 3000K, 3500K, 4000K, 5000K)	<b>90</b> 90CRI	<b>120 FRPC</b> 120V (Forward phase/ ELV Dimmable)	<b>WH</b> White	<b>EM</b> <sup>1,2</sup> Integral Battery Backup (Title 20 Compliant)
	<b>7IN 10LM</b> 7" Diameter, 1000 Lumens					
	<b>12IN 13LM</b> 12" Diameter, 1300 Lumens					
	<b>14IN 18LM</b> 14" Diameter, 1800 Lumens					
				<b>MVOLT ZT</b> Universal 120-277V (0-10V Dimmable)		<b>EBX</b> <sup>1</sup> Empty Back Box

<sup>1</sup> Available with 12IN and 14IN models only


<sup>2</sup> Available with MVOLT ZT option only

# Juno SlimForm™ Accessories

Juno SlimForm fixtures can be accessorized by adding an optional trim. These accessories include field-bendable tabs that easily secure to the fixture without the need for tools!



Optional trims provide a decorative look and feel like a recessed downlight for multi-family residential, hospitality and other commercial environments.



## Trims

Field-installable trims 'wrap' around the exterior of the fixture to provide a decorative finish.



Trims are as easy to install as changing a picture frame. Simply bend the tabs over the fixture to hold it in place. Certain configurations have trims pre-installed, see spec sheet for full details.

# Juno SlimForm™ Field-Installable Accessories

Decorative trims are available for use on Juno SlimForm 5" and 7" fixtures.

## Options Include:

### Round Trim (JSFTRIM)



**WH:** White Finish



**BZ:** Bronze Finish



**SN:** Satin Nickel Finish



**BL:** Black Finish

### Square Trims (JSFSQTRIM)



**WH:** White Finish



**BZ:** Bronze Finish



**SN:** Satin Nickel Finish



**BL:** Black Finish

**Note:** Accessories are shown installed on fixtures. Fixtures and accessories must be ordered separately.

# Juno SlimForm™ with Battery Back-Up

The factory-installed, integral battery back-up option (EM) powers fixtures during outages. This option eliminates the need and maintenance involved in installing a separate emergency fixture, or having to wall mount a fixture susceptible to physical damage. All battery back-up versions of the JSF are compliant with CA and Title 20.

A factory-installed, empty back box (EBX) can be added to the additional fixtures within the space to match the battery box depth and provide a more consistent appearance.



The integral battery option provides back up power to fixtures in hallways, corridors or other common areas.



All trademarks referenced are property of their respective owners. Specifications subject to change without notice. Printed in the U.S.A.