


**TRAC-MASTER®**

Low Voltage

# INTEGRAL MAGNETIC TRANSFORMER

**T350**

Project: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Location: \_\_\_\_\_

Contact/Phone: \_\_\_\_\_

## PRODUCT DESCRIPTION

Low Voltage fixtures offer precise control and energy efficiency for accent lighting and display applications.

**Construction** Die cast aluminum housing with die formed steel yoke.

**Socket** Ceramic bi-pin with integral heat shield.

**Aiming** 90° vertical aiming capability and 358° rotation.

**Transformer** Integral 12V 50VA magnetic transformer.

**Juno Universal Trac Adapter** Universally compatible with both Trac-Master 1-circuit or 2-circuit trac, Trac-Lites trac, monopoints and special mountings • Copper alloy contacts provide precise spring action - no arcing and will not take a set • True, positive electrical ground • On/off switch included • Patented embossed polarity arrows on bottom of adapter • Spring-loaded positive latch with embossed polarity arrows secures trac light to trac • Two-position power contact provided for two-circuit application.

**Alternate TEK Trac Adapter** Compatible with Juno TEK trac system • System specific and assembled to trac fixture • Integrally polarized construction to prevent reverse installation – only allows insertion in proper orientation • Rotary circuit selector enables simple switching between circuits • Integral on/off switch enables individual fixtures to be switched for servicing.

**Labels** UL listed, CSA certified.

Specifications subject to change without notice.



## Low Voltage MR16

Catalog Number	Description	Finish	Baffle	Lamp
<b>T350 WH</b>	Cast Rectangle w/Universal Trac Adapter	White	Black	75W MR16 max.
<b>T350 BL</b>	Cast Rectangle w/Universal Trac Adapter	Black	Black	75W MR16 max.
<b>T350 TEK WH</b>	Cast Rectangle w/TEK Trac Adapter	White	Black	75W MR16 max.
<b>T350 TEK BL</b>	Cast Rectangle w/TEK Trac Adapter	Black	Black	75W MR16 max.

### ACCESSORIES

Cat. No.	Description	Cat. No.	Description
<b>CGF 175</b>	Color Glass Filter	<b>HCLBL 175</b>	Hexagonal Cell Louver - Black
<b>DCCF 175</b>	Dichroic Color Correction Filter	<b>DIFF 175</b>	Diffusion Glass Lens
<b>DGF 175</b>	Dichroic Glass Filter	<b>UVF 175</b>	UV Filter
<b>SOLITE 175</b>	Uniformity Lens (Solite)	<b>LSPREAD 175</b>	Linear Spread Glass Lens
<b>PRISM 175</b>	Prismatic Spread Glass Lens		

See specification sheet [D1.2.2](#) for details.

