

## HANOVER SERIES Large Luminaires



**EH22RT GCSG**

## SPECIFICATIONS

### DESCRIPTION

The luminaire shall consist of a ballast housing and skirt with internal reflector and horizontal lamp. Lens shall be flat, sag, half sphere or drop globe. Optional decoration shall be a shield at the bottom of the skirt.

### DIMENSIONS

Dimensions shall be as detailed on the back page.

### MATERIALS

The ballast housing and skirt shall be cast aluminum. Globe material shall be clear glass, flat or sag, or clear acrylic, half sphere or drop globe. The reflector shall be anodized and segmented for superior uniformity and control. The optional shield shall be spun aluminum. All hardware shall be stainless steel.

### INSTALLATION

The luminaire shall have 1.5" female, NPT at top for mounting to Eurotique™ 5" diameter arms. The globe shall be gasketed and mounted on an aluminum ring which is hinged to the skirt and furnished with a captive screw for easy relamping. The reflector shall pivot and be secured with a captive screw for easy access to the ballast plate. The ballast and socket assembly shall be furnished with a quick disconnect plug and mount on a removable ballast plate.

### FINISH

For finish specifications and color options, see "Finish" section in catalog.

### LIGHT SOURCE

Luminaires shall be furnished with an H.I.D. ballast and socket assembly. Luminaire shall be UL listed and labeled as suitable for wet locations. Socket shall be glazed porcelain, mogul base, with a copper alloy nickel plated screw shell and center contact. Ballast shall be core and coil, high power factor, regulating type.

### CERTIFICATION

Upon request, manufacturer shall supply UL file # and listing information.



### PHOTOMETRY

See "Eurotique™ PHOTOMETRICS" tab in catalog.

**EUROTIQUE™**  
Architectural Lighting

**ANTIQUE Street Lamps**  
An **Acuity** Brands Company

2011-B W. Rundberg Ln. • Austin, TX 78758  
Ph (512) 977-8444 • Fax (512) 977-9622  
www.antiquestreetlamps.com



ORDERING INFORMATION

Choose the **boldface** catalog nomenclature that best suits your needs and write it on the appropriate line.

Example: **EH22RT 175H MOG ACHS SR2 120 ANBK DF**

Series	Wattage/Lamp	Distribution <sup>3</sup>	Voltage	Finish <sup>2</sup>	Options
EH22RT	<b>175H MOG</b> 175 watt Mercury Vapor	<b>SR2</b> IES Distribution	<b>120</b>	<b>ANBK</b> Black	<b>HS</b> House Side Shield
EH22ST	<b>250H MOG</b> 250 watt Mercury Vapor	<b>SR3</b> IES Distribution	<b>208</b>	<b>ANDB</b> Dark Bronze	<b>SF</b> Single Fusing
EH22FT	<b>400H MOG</b> 400 watt Mercury Vapor	<b>SR4SC</b> IES Distribution	<b>240</b>	<b>ANDG</b> Dark Green	<b>DF</b> Double Fusing
	<b>175M MOG</b> 175 watt Metal Halide	<b>SR4W</b> IES Distribution	<b>277</b>	<b>ANVG</b> Verde Green	<b>1DS</b> Decorative Shield
	<b>250M MOG</b> 250 watt Metal Halide	<b>SR5S</b> IES Distribution	<b>347</b>	<b>ANPP</b> Prime Painted	
	<b>400M MOG</b> 400 watt Metal Halide		<b>480<sup>1</sup></b>	<b>CM</b> Custom Match	
	<b>150S MOG</b> 150 watt High Pressure Sodium		<b>TB<sup>1</sup></b>	<b>CS</b> Custom Select RAL colors	
	<b>250S MOG</b> 250 watt High Pressure Sodium				
	<b>400S MOG</b> 400 watt High Pressure Sodium				

**Lens Material**

**GCF** Glass, Clear Flat  
**GCSG** Glass, Clear Sag  
**ACHS** Acrylic, Clear Half Sphere  
**ACD** Acrylic, Clear Drop Globe

NOTES:  
 1. Multi-tap Ballast (120,208,240,277v) and 480v.  
 2. For finish and color options, see Finish section in catalog.  
 3. See Photometric tab for IES classifications and Iso Illuminance plots for each lens type and reflector combination.

**ANTIQUE Street Lamps**  
 An Acuity Brands Company  
 2011-B W. Rundberg Ln • Austin, TX 78758  
 Ph (512) 977-8444 • Fax (512) 977-9622  
 www.antiquestreetlamps.com